

White Paper

Selectivity

March 2022



**Australian
GlassGroup®**

Selectivity

Selectivity is a factor that looks at the relationship between Visible Light Transmittance (VLT) and Solar Energy Transmittance – ie. Solar Heat Gain Coefficient (SHGC).

Where strong Solar Control is required (eg. Commercial buildings and warm-hot climate Residential buildings), a lower SHGC value is needed - representing less heat from the sun entering inside the building, and therefore, more heat from the sun being blocked. There is a correlation between lower SHGC and lower VLT in glass products. This is because the darker the glass, the more heat from the sun is blocked from entering through it, and the darker the glass, the lower the VLT.

While we need significant Solar Control performance for some buildings and climates, we must be mindful of the impact of the correlating low VLT as there are health and comfort concerns associated with a lack of natural light and we also do not want to work, or live, inside dark buildings.

For any building that requires a low SHGC, rather than purely accept a glass product that meets that SHGC value, it is important to investigate what that glass product looks like aesthetically as well as how much VLT it allows through. This is especially relevant whenever tinted glass, dark tinted glass, dark coatings, or coated tinted glass are considered.



eg. a dark-grey tint in a 6/12/6 DGU has a very low SHGC, however it can also look near-black and allow only 8% VLT inside!

Light-to-Solar Gain Ratio (LSG)

Selectivity addresses this issue by highlighting what affect a lower SHGC value has on the VLT by using the Light-to-Solar Gain ratio (LSG). This is the VLT divided by the SHGC and a ratio of **1.25** or higher is considered to be the preferred minimum, "**Spectrally Selective**", by allowing in desirable levels of daylight while blocking undesirable levels of heat. Such values require a softcoat LowE Double Glazed Unit (eg. Insulglass LowE Prime[®] at **1.26** and Insulglass LowE Plus[®] at **1.34** – in 6/12/6 make up with Clear secondary lite).

A ratio over 2.0 is considered extremely high performing as **2.0** allows twice the amount of light inside versus sun-heat (eg. Insulglass LowE Advance[®] Clear 6/12/6 at **2.03**).

The higher the Selectivity LSG ratio, the better performing the glass is at maintaining higher levels of Visible Light and yet also excellent Solar Heat blocking (eg. one of the highest Spectrally Selectivity values in the world for a DGU being Insulglass LowE Max[®] Clear 6/12/6 at **2.44**, or by using Low Iron as the secondary lite, **2.52**).

Spectrally Selective = Softcoat LowE

A Softcoat LowE DGU is the exception and the only glass type that can offer Spectrally Selective performance. They can also go a few steps further by offering a full range of performance options;

- high levels of sun-heat blocking (low SHGC)
- reduce Cooling loads / reduce Cooling costs
- high levels of natural light passing through (high VLT)
- clear or only subtle neutral tones for its aesthetics
- no risk of haze that traditional hardcoat LowE coatings can have
- great acoustics being a double glazed unit
- virtually eliminate internal condensation
- some of the best Insulation properties available (low U-Value)
- reduce Heating loads / reduce Heating costs
- all of the above making it a truly effective Energy Efficient product, while looking great

It is the Softcoat evolution of technology and innovation that sees atomic layers of silver (Ag) and other metal oxides allow such performance from a single glass product. With only softcoat LowE Double Glazing (DGU) offering 'Spectrally Selective' performance, it is comforting to know that there is a full range of choices to suit multiple needs and climates.

See AGG's softcoat LowE DGU offering below:



An ideal Softcoat LowE DGU for warmer climates to minimise Glare and a balance of Solar Control & great Insulation.



An ideal Softcoat LowE DGU for colder climates with maximum Visible Light, Passive Heat Gain & excellent Insulation.




An excellent Softcoat LowE DGU to advance both Solar Control and Insulation without compromising Visible Light.



An superior Softcoat LowE DGU to maximise both Solar Control and Insulation without compromising Visible Light.

See the Spectrally Selective values of these products below in 6/12/6 make up with a clear secondary lite - ordered by their SHGC and U-Value performance and also compared to a standard clear/clear Insulglass Classic® (no LowE coating):



See our website for more detail on our product offerings: www.agg.com.au

Disclaimer

Australian Glass Group provides the information in this document on the basis that:

1. The information in this bulletin provided is not advice, guidance or recommendations. It is of a general nature only and cannot and does not substitute for obtaining independent specific or complete advice. The reader or user must make their own independent enquiry before action on any information required.
2. That the user of the website/bulletin in reading the material is acknowledging that they are accepting that Australian Glass Group has;
 - A. No liability at law in any manner whatsoever for the information as provided;
 - B. That there is no express or implied warrantee of any kind as to performance warranties or merchantable warranties or fitness for purpose or any other warrantee implied, expressed or otherwise at law, and;
 - C. That the user of this information provided must undertake their own due diligence and independent enquiry and advice.
3. All users are deemed to acknowledge that there shall be no transfer of any liability and/or responsibility to Australian Glass Group whether in part or in full as a result of any consequences from the use of the information whether or not Australian Glass Group is made aware of such intentions.
4. It is the responsibility of the reader to ensure they are viewing the most up to date version of this document, which can be obtained from our website www.agg.com.au or by emailing info@agg.com.au

AGG NSW

140 Gilba Rd
Girraween, NSW
P: (02) 9896 0566
F: (02) 9896 0190

AGG VIC

81-83 Rushdale St
Knoxfield, VIC
P: (03) 9730 7400
F: (03) 9730 7488

AGG TAS

39 South Arm Rd
Rokeby, TAS
P: (03) 6247 1625
F: (03) 6247 6843



**Australian
GlassGroup®**